Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Luca Bessoni						
Supplier's address: Importableilung, Römerstraße 39, 4600 Wels, AT Model identifier: 81810831-02						
Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	Ceiling luminaire					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
	Product parar	neters				
Parameter	Value	Parameter	Value			
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	24	Energy efficiency class	E			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone	2 900 in Sphere (360°)	Correlated colour temperature, rounded to the near-	4 000			

	00 h), rounded st integer	24	class	L
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	2 900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode pow pressed in W	ver (P _{on}), ex-	24,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	-
(P _{net}) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84
Outer dimen-	Height	2	Spectral power dis-	See image
sions without	Width	2 253	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	8	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,385 0,380			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	16	Survival factor	1,00			
the lumen maintenance factor	0,97					

(a)'-': not applicable; (b)'-': not applicable;

