Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		, , ,	· ·	<i>.</i> , <i>.</i>
Supplier's name	or trade mark:	Modern Living		
Supplier's addre	ess: Importabteil	ung, Römerstraße 3	39, 4600 Wels, AT	
Model identifier	r: 82270213			
Type of light sou	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		LED Module		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		Yes	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
Product parameters				
Parameter		Value	Parameter	Value
		General product	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		5	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		440 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500
On-mode power (P _{on}), expressed in W		5,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,12
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	1	Spectral power	See image
dimensions without	Width	20	distribution in the	in last page
	Depth	224		Page 1 /

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity	0,431			
		coordinates (x and y)	0,399			
Parameters for LED and OLED light sources:						
R9 colour rendering index valu	ie 7	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;

