

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Bessagi Home

**Supplier's address:** Importabteilung, Römerstraße 39, 4600 Wels, AT

**Model identifier:** 82271361

## Type of light source:

|   |    |                                 |    |
|---|----|---------------------------------|----|
| Lighting technology used:                           | -  | Non-directional or directional: | -  |
| Light source cap-type (or other electric interface) | -  |                                 |    |
| Mains or non-mains:                                 | -  | Connected light source (CLS):   | No |
| Colour-tuneable light source:                       | No | Envelope:                       | -  |
| High luminance light source:                        | No |                                 |    |
| Anti-glare shield:                                  | No | Dimmable:                       | -  |

## Product parameters

| Parameter  | Value  | Parameter  | Value   |
|--|--------|--|---|
| <b>General product parameters:</b>   |        |  |   |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer  | -      | Energy efficiency class  |   |
| Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | - in - | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | -   |
| On-mode power ( $P_{on}$ ), expressed in W   | -      | Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal   | -   |
| Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal  | -      | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | -...-   |
| Outer dimensions without separate control gear, lighting control   | Height | -  | Spectral power distribution in the range 250 nm to 800 nm, at full-load |
|  | Width  | -  |   |
|  | Depth  | -  |   |
|  |        | See image in last page   |   |

|   |   |                                    |        |
|---|---|------------------------------------|--------|
| parts and non-lighting control parts, if any (millimetre) |   |                                    |        |
| Claim of equivalent power <sup>(a)</sup>                  | - | If yes, equivalent power (W)       | -      |
|   |   | Chromaticity coordinates (x and y) | -<br>- |

(a): not applicable;

(b): not applicable;

