

Abbildung kann vom Original abweichen



Schräghaube mit Randabsaugungstechnik

6036X

Beschreibung

Mit ihrem Edelstahl Gehäuse ist die 6036X ein echter Hingucker in jeder Küche.

Energieeffizienzklasse A
Beleuchtungssystem LED
Randabsaugungstechnologie
Edelstahl Gehäuse
Kopffreihaube

A



Technische Daten	
Geräteart	Schräghaube mit Randabsaugungstechnik
Material	Edelstahl
Einbaubreite	60 cm
Wandmontage	Ja
Drucktasten	5 Stück
Leistungsstufen	3 Stufen
Umluftbetrieb	Ja
Abluftbetrieb	Ja
jährlicher Energieverbrauch (AEChood)	19,30 kWh/Jahr
Energieeffizienzklasse A+++ (höchste Effizienz) bis D (geringste Effizienz)	A
Fluidynamische Effizienz (FDEhood)	15,60
Fluidynamische Effizienzklasse	D
Beleuchtungseffizienz (LEhood)	40,00 lux/Watt
Beleuchtungseffizienzklasse	A
Fettabscheidegrad	37,00

Technische Daten	
Klasse für den Fettabscheidegrad	G
Luftstrom bei minimaler Geschwindigkeit	178,3 m ³ /h
Luftstrom bei maximaler Geschwindigkeit	269,2 m ³ /h
Maximaler Luftstrom Q _{max}	289,6 m ³ /h
A-bewertete Luftschallemission bei minimaler Geschwindigkeit	60 dB/A
A-bewertete Luftschallemission bei maximaler Geschwindigkeit	68 dB/A
Leistungsaufnahme im Aus-Zustand (PO)	0 Watt
Anschlusswert	45 Watt
Beleuchtungssystem	LED
Leistungsaufnahme je Beleuchtungseinheit	2 x 1,00 Watt
Spannung	220-240 Volt
Frequenz	50 Hz
Ausstattung	
Fettfilter Menge	1
Fettfilter Material	Aluminium
Fettfilter spülmaschinenfest	Ja
Teleskopkamin ausziehbar von / bis	40,00 - 73,00 cm
Gesamthöhe durch Teleskopkamin	111,00 cm
benötigte Menge Kohlefilter mit Modelbezeichnung	1x CO ₄
mitgeliefertes Zubehör: Rückschlagklappe	Ja
mitgeliefertes Zubehör: Abluftschlauch	Ja
mitgeliefertes Zubehör: Kohlefilter	Optional
mitgeliefertes Zubehör: Befestigungsmaterial	Ja
mitgeliefertes Zubehör: Bedienungsanleitung	Ja
Logistik	
Geräteabmessungen (HxBxT)	81,00 - 111,00 x 59,60 x 33,20 cm
Verpackungsabmessungen (HxBxT)	48,70 x 66,00 x 41,00 cm
Nettogewicht	8,50 kg
Bruttogewicht	10,40 kg
Containermenge 40HQ	575 Stück
Garantie	2 Jahre
Artikelnummer	50881
EAN Nummer	4030608508819
EPREL-Registrierungsnummer	2219771

Abluftbetrieb: bei Anschluss an einen Entlüftungskamin bzw. Abluft in's Freie (Mauerdurchführung = 120mm Ø / Bohrung ca. 130mm Ø)

Abbildung kann vom Original abweichen



Slanted hood with edge extraction technology

6036X

Description

With its stainless steel housing, the 6036X is a real eye-catcher in any kitchen

Energy efficiency class A

LED lighting system

Edge extraction technology

Stainless steel housing

Headroom hood

A



Technical specifications	
Device type	Slanted hood with edge extraction technology
Material	stainless steel
Installation width	60 cm
Wall mounting	Yes
Pushbuttons	5 pcs
	3
Recirculation mode	Yes
Extraction Mode	Yes
Annual energy consumption (AEChood)	19,30 kWh /year
Energy efficiency class A+++ (highest efficiency) to D (lowest efficiency)	A
Fluid dynamic efficiency (FDEhood)	15,60
Fluid dynamic efficiency class	D
Lighting Efficiency (LEhood)	40,00 lux/Watt
Lighting Efficiency Class	A
Grease separation efficiency	37,00

Technical specifications	
Class for grease separation efficiency	G
Airflow at minimum speed	178,30 m³/h
Airflow at maximum speed	269,20 m³/h
Maximum air flow Qmax	289,60 m³/h
Air flow at minimum speed in normal use	60 dB/A
Air flow at maximum speed in normal use	68 dB/A
Power consumption in off mode (PO)	0 Watt
Connected value	45 Watt
Lighting System	LED
Power consumption per lighting unit	2 x 1,00 Watt
Voltage	220-240 Volt
Frequency	50 hertz
Equipment features	
Grease filter material	Aluminium
Grease filter dishwasher safe	Yes
Telescopic chimney extendable from up to	40,00-73,00 cm
Total height with chimney	111,00 cm
required amount of charcoal filters with modelname	1x C04
Supplied accessories: Check valve	Yes
Supplied accessories: Exhaust hose	Yes
Supplied accessories: charcoal filter	Optional
Supplied accessories: mounting material	Yes
Supplied accessories: User Manual	Yes
Logistics	
Device dimensions (HxWxD)	81,00-111,00 x 59,60 x 33,20 cm
Package dimensions (HxWxD)	48,70 x 66,00 x 41,00 cm
Net weight	8,50 Kg
Gross weight	10,40 Kg
Container load 40HQ	575 Piece
Warranty	2 Years
Article number	50881
EAN Code	4030608508819
	2219771

Exhaust operation: when connected to an exhaust pipe with 120mm diameter, exhaust to outside air, core drill hole 130mm diameter.